

Gloster 1 1 1

IMPORTANT! READ THESE POINTS BEFORE YOU BEGIN

D

This kit may be built more than one way.

Decide on which version you may wish to build before final assembly.

Paint :

Paint all sub-assemblies before attaching parts.

"TEST FIT" all parts before cementing. Cement all parts unless otherwise indicated by the instructions.

3

Scrape paint away from surfaces to be cemented together.

3

Use paint and cement made for styrene plastic only. Trim excess plastic from parts before joining.

3

Follow all of the numbers on the instruction sheet beginning with number one.

PAINT SUGGESTIONS


The following suggestions may be of help to you in painting your model: Use only bottle or spray paint made for styrene plastics. Allow time for paint to dry thoroughly before handling parts.


FLAT MEDIUM SEA GRAY – Lower portion of wings, fuselage, horizontal stabilizers, landing gear doors (open or closed).


FLAT TAN – Pilot's face and hands.
FLAT BROWN – Pilots' helmet and suit
SILVER – Pilot's goggles, head set, landing gear
(open position), dials on the instrument panel and
some of the engraving on the inside of cockpit and
landing gear.


FLAT BLACK – Pilot's shoes, seat, mask, instrument panel, interior walls, engine cap (with crossbar silver), landing gear wheels (forward and wing), control stick, interior floor, inside of cockpit and wheel openings (forward and wings).
FLAT GREEN – Antenna, V-1 missile.
FLAT BATTLE GRAY – Frame of canopy.


FLAT DARK GREEN & FLAT OCEAN GRAY – For camouflage effect, paint upper portion of wings, fuselage, horizontal stabilizers. Use box art for reference.














PAINTING GUIDE







BE SURE TO LOOK FOR THESE OTHER GREAT MILITARY MODEL KITS:



AMT802 F-14A TOMCAT™



AMT820 F-16A FALCON®



AMT779 F-18A HORNET



AMT813 GRUMMAN F9F PANTHER



MPC785 WWII JEEP

For more information, visit round2models.com

visit our blog at: collectormodel.com