

## **Meaning of icons**



FILL HOLE 填平孔洞



OPEN HOLE 钻出孔洞



OPTIONAL 可选择使用



2 SETS NEEDED 同样的制作二组



REMOVE 切除



BE CAREFUL 小心注意



APPLY DECAL 贴上水贴



BEND 曲折



DO NOT CEMENT 不田払接



INSTANT GLUE 速干胶 瞬間接着剤

## CAUTION:

- 1. When you use glue or paint do not use near a open flame and sue in a well-ventilated room.
- 2.Cut the parts off properly and throw waste parts into dustbox at once.
- 3. Keep all parts out of small children. Children must not to be allowed to put any parts in their mouths, or pull plastic bags over their head.
- 4.Do not play with the parts for any other purpose, as some parts may be to sharp. More caution and care needed for families with infants.

#### 注意:


- 1. 當組裝模型時應遠離火種及在空氣流通的房間內進行。
- 2. 廢置膠料應掉棄在環保回收的垃圾箱内。
- 3. 由於模型套件有許多細小零件,請勿讓小孩接觸以免産生誤吞之危險。也別讓小孩把包裝膠件之透明塑料袋套在頭上,這很容易引致窒息。
- 4. 由於零件有不少尖角部份, 請勿把玩及作其他用途, 請注意及小心保護你的家人。

# **CORRECT METHOD FOR APPLYING DECALS:**

- 1. Clean model surface with wet cloth.
- 2. Cut out of decal sheet and dip them in cold water for 15 seconds.
- 3. Place decal on proper position on model.
- 4. Slide off base paper leaving decals on model with wet finger tip.
- Adjust decals to exact position, push out excess water under decal with soft cotton cloth.

#### 正確貼上水貼紙的方法:

- 1.將模型表面擦幹净。
- 2.將貼紙剪下泡入清水中約15秒。
- 3.將泡濕之貼紙取出置放欲貼處旁。
- 4.用指尖輕推貼紙表面使其滑出底紙。
- 5.將貼紙調整至適當位置并輕擦拭水份。



Colour	MR.Hobby	Hobby Color	Humbrol	Tamiya
Khaki Drab+Olive Green	/	/	1	XF-51+XF-60(80/20)
Steel	H-18	C-28	53	X-10
Red Brown	H-47	C-41	62	XF-64
Tire Black	H-305	C-137	33	XF-85

