









Recommended kit: Hasegawa F4U-4 Academy F4U-4




P.O. Box 3956 Merrifield, VA 22116 USA


MODELWORKS www.meteorprod.com



E4U-4-Corsair-Part-3







CED48269

F4U-4 Corsair Part 3



7286

- There is a famous photo of this plane with spray painted boneyard accession numbers in the old blue-cover Aero Series book on the F4U. I saw that photo as a kid and have always wanted to do decals for the plane, but I was worried that it might have been an airframe composed of the best parts of several different airframes in preparation to going to, for example, a Central American air force. However, when we found a photo of this same aircraft in USNR service actually flying in this scheme and confirmed that it was a real scheme, it was a shoein for a Cutting Edge decals subject!
- The orange color on the decal sheet was the original color; this paint faded badly over time, so you may wish to weather the orange band. It would have been the full-strength, original color on the bottom of the plane, fading towards a more yellowish color near the top of the spine. Don't forget, however, that this was a Naval Reserve aircraft and was kept in quite good condition. Have fun!

White 301

- White 301, as a F4U-4B, has two 20mm cannons in each wing instead of the usual three .50 cal guns in the F4U-4.
- The BuNo of this aircraft is not clear in the photos. We've supplied a full range of numerals for the time when the BuNo can be positively identified.

Applying the Decals

You probably already know all this stuff, so feel free to use your regular process; however, if you're new to aftermarket decals, here goes:

- Generally, use the Microscale Finishing System. We don't recommend extremely strong decal solvents such as Solvaset.
- Your model must have a smooth, glossy surface, as decals won't adhere well to matte surfaces. Use gloss paints
 or your favorite clear gloss overspray over matte or semigloss paint.
- Cut each subject out without trimming off the slight excess film (this helps the decal film disappear when dry).
- Put the decal in warm water that has a drop or two of liquid dishwashing soap or photo-flo for 10 seconds.
- When the decal will slide off the backing paper without forcing it, apply it to the proper position on your model.
 Slide the backing paper out from underneath.
- Gently blot off excess water and smooth out bubbles under the decal surface. If you wish, carefully brush on a mild decal softener such as Micro-Sol.
- When all decals are completely dry, gently wash off all excess decal adhesive.
- Finally, overcoat your model with a good quality gloss coat, followed by your choice of matte or eggshell clear topcoat.

FS 595 Color Cross Reference

FS 5042 Pro Modeler 88-0041

FS 6440 Xtracolor X137, Modelmaster 1729/1730, Gunze Sangyo H315/325, Pro Modeler 88-0033, Polly

Scale 505326

FS 7875 Any gloss white