

# WWII U.S. MEDIUM TANK M4A3E8 SHERMAN

**TRIUMPH  
MODEL**

EASY EIGHT THUNDERBOLT VII W/T66 TRACKS



1/72 P72013

## Product Introduction

拼装前请仔细阅读本说明书。

Please read this manual carefully before assembly.

本产品由树脂部件和水贴构成。

This product consists of resin parts and decals.

产品零件或包含尖锐部件，请注意使用，请不要让小孩触碰。

Product parts or included sharp parts, please pay attention to use, please do not let children touch.

如不小心拼装时胶水落入眼中，请立即用清水清洗并咨询医生。

If the glue falls into eyes during assembly, please wash it with clean water immediately and consult a doctor.

本产品不包含油漆涂料、模型胶水、晴喱胶、镊子、笔刀、剪钳等模型工具耗材，请自行单独购买。

This product does not include paint, model glue, gel, tweezers, penknife, scissors and other model tools consumables, please purchase separately.

产品不包含细小炮管，需自行流道拉丝或用金属铜管单独替换。

This product does not contain a small gun barrel, which needs to be self use injection mold runner elongated or replaced with a metacopper tube.

如产品零件有质量问题等问题，请联系：triumphmodels2016@gmail.com，我们会尽力给您解决售后问题。

If there are quality problems with product parts, please contact triumphmodels2016@gmail.com We will try our best to solve the after-sales problems for you.

非常感谢您对我们的支持与厚爱！

Thank you very much for your support and love!

本产品推荐 14 岁及以上模型爱好者使用。

This product is recommended for fans aged 14 and above.

使用油漆涂料或模型胶水、晴喱胶时请远离近火。

Keep away from near fire when using paint, model glue or gel.

M4A3(76)W HVSS: General

Date of first acceptance August 1944

Manufacturers

Detroit Tank Arsenal

Crew 5 men

Commander in turret right rear

Loader in turret left rear

Assistant driver in hull right front

M4A3(76)W HVSS: Dimensions

Combat weight with T66 tracks 74,200lbs,33,700kg

Length with sandshields, without gun 247",627cm

Width with sandshields 118",300cm

Ground clearance 17",43cm

Turret ring diameter 69",175cm

M4A3(76)W HVSS: Armament

Type 76mm Gun M1A1, M1A1C, or M1A2.50cal M2HB MG, .30cal M1919A4 MG, .30cal M1919A4 MG, 2" Mortar M3 (smoke) Mount M62 in turret, Flexible in turret AA mount, Coaxial to 76mm gun, Ball mount 7008929, D62255B, 7387770, or 6551070 in right bow. Fixed in turret roof Ammunition 71 rounds (6 ready), 600 rounds, 6,250 rounds, 12 rounds

Total acceptances 3,064

Fisher Tank Arsenal

Gunner in turret right front

Driver in hull left front

Eight over turret cupola 117",297cm

Gun overhang forward 50",130cm

Tread 89",226cm

Fire height 90",230cm

Ground pressure, zero penetration 11.0psi,772kg/cm<sup>2</sup>



安装方向  
Attention



树脂零件  
Resin Parts



模型晴喱胶  
Model Gel





金属零件  
Metal Parts



选择安装  
Select installation

# PARTS DISPLAY



I1

Decal




Metal Parts







1




2





# 4



# Painting+Decals Guide

Colour

TAMIYA



GSI Creos

